Author Index

Adams, W.R.: *See* Ritter, S.J., 689
Agarwal, K.C.: *See* Desrochers, S., 111
Ahn, J. and Koo, S.I. Effects of zinc and essential fatty acid deficiencies on the lymphatic absorption of vitamin A and oleic acid in zinc-deficient rats, 595
Ahn, J. and Koo, S.I. Intraduodenal phosphatidylcholine infusion restores the lymphatic absorption of vitamin A and secretion of phospholipids, 604
Akachi, T.: *See* Sugiyama, K., 80
Akanbi, K.A.: *See* Mersmann, H.J., 302
Allen, K.G.D.: *See* Norman, J.F., 163
Andriamampandry, M., *See* Leray, C., 673
Aranda, P.: *See* Lerma, A., 577
Ashley, J.M.: *See* Bagga, D., 667
Askari, A.: *See* Lai, C.-C., 256
Atwal, A.S.: *See* Jenkins, K.J., 97

Badamchian, M., Spangelo, B.L., Hagiwara, Y., Hagiwara, H., Ueyama, H., and Goldstein, A.L. α-tocopherol succinate, but not α-tocopherol or other vitamin E analogs, stimulates prolactin release from rat anterior pituitary cells in vitro, 340
Bagga, D., Byerley, L.O., Koziol, B.J., Glick, Z., Ashley, J.M., and Heber, D. Adipose tissue and the effects of fat and calories on breast tumorigenesis in rats, 667
Bailey, W.R.: *See* Prohaska, J.R., 275
Banni, S., Day, B.W., Evans, R.W., Corongiu, F.P., and Lombardi, B. Detection of conjugated diene isomers of linoleic acid in liver lipids of rats fed a choline-devoid diet indicates that the diet does not cause lipoperoxidation, 281
Baracca, A.: *See* Barzanti, V., 21
Barzanti, V., Pregnolato, P., Maranesi, M., Bosi, I., Baracca, A., Solaini, G., Turchetto, E. Effect of dietary oils containing graded amounts of 18:3 n-6 and 18:4 n-3 on cell plasma membranes, 21
Beard, J.L.: *See* Chen, Q., 486
Becker, D.: *See* Trindade, V.M.T., 155
Bernal, C.A., Gutman, R.A., and Lombardo, Y.B. The duration of feeding on a sucrose-rich diet determines variable in vitro effects of insulin and fructose on rat liver triglyceride metabolism, 422
Bernard, E.A.: *See* Trindade, V.M.T., 155
Bézard, J.: *See* Clouet, P., 626
Bhathena, S.J.: *See* Werman, M.J., 373
Blackmore, V.L. and Meckling-Gill, K.A. Fish oil and oleic acid-rich oil feeding alter nucleoside uptake in human erythrocytes, 438
Bode, A.M.: *See* Matz, J.M., 644
Bodkin, N.L.: *See* Ortmeyer, H.K., 499
Boichot, J.: *See* Clouet, P., 626
Bomont, C.: *See* Desrochers, S., 111
Boschero, A.C.: *See* Carneiro, E.M., 314
Bosi, I.: *See* Barzanti, V., 21
Briske-Anderson, M.: *See* Finley, J.W., 137
Brooks, S.P.J. and Lampi, B.J. The effect of changing dietary fat and carbohydrate on the enzymes of amino acid metabolism, 414
Browning, J.D. and O'Dell, B.L. Low zinc status impairs calcium uptake by hippocampal synaptosomes stimulated by potassium but not by N-methyl-D-aspartate, 588
Brtko, J.: *See* Knopp, J., 145
Bruckner, G.: *See* Szabó, J., 12, 334
Brunengraber, H.: *See* Desrochers, S., 111
Bulur, H., Özdemirler, G., Öz, B., Toker, G., Öztürk, M., and Uysal, M. High cholesterol diet supplemented with sunflower Seed oil but not olive oil stimulates lipid peroxidation in plasma, liver, and aorta of rats, 547
Burri, B.J. Serum thyroid hormone concentrations may increase during carotenoid depletion of healthy adult women, 613
Byerley, L.O.: *See* Bagga, D., 667

Cammack, P.M.: *See* Christensen, M.J., 367
Carneiro, E.M., Mello, M.A.R., Gobatto, C.A., and Boschero, A.C. Low protein diet impairs glucose-induced insulin secretion from and ^{45}Ca uptake by pancreatic rat islets, 314
Carver, J.D. and Walker, W.A. The role of nucleotides in human nutrition, 58
Chanaud, N.: *See* Sawiris, P., 557
Chandrasekar, B.: *See* Venkatraman, J.T., 467
Chen, J.-R., Suetsuna, K., and Yamauchi, F. Isolation and characterization of immunostimulative peptides from soybean, 310
Chen, L.-C.: *See* Hu, M.-L., 504
Chen, Q., Beard, J.L., Jones, B.C. Abnormal rat brain monoamine metabolism in iron deficiency anemia, 486
Chen, S.C.: *See* Hicks, V., 246
Chen, Y., Saari, J.T., and Kang, J. Copper deficiency increases metallothionein-I mRNA content selectively in rat liver, 572
Chen, Y.-K.: *See* Hu, M.-L., 504
Chen, Z.Y. and Ratnayake, W.M.N. Weight cycling-induced reduction of linoleic acid in carcass and adipose tissue in rats, 653
Chesney, R.W.: *See* Helms, R.A., 462
Chiu, T.H.: *See* Lai, C.-C., 256
Christensen, M.J., Cammack, P.M., and Wray, C.D. Tissue specificity of selenoprotein gene expression in rats, 367
Christensen, M.L.: *See* Helms, R.A., 462
Church, J.P.: *See* Podczasy, J.J., 327
Ciavatti, M.: *See* Douillet, C., 319
Clouet, P., Niot, I., Gresti, J., Demarquoy, J., Boichot, J., Durand, G., and Bézard, J. Polyunsaturated n-3 and n-6 fatty acids at a low level in the diet alter mitochondrial outer membrane parameters in Wistar rat liver, 626
Corongiu, F.P.: *See* Banni, S., 281
Cynober, L., Le Boucher, J., and Vasson, M.-P. Arginine metabolism in mammals, 402

D'Aquino, M.: *See* Nardini, M., 474
Damento, M.C.: *See* Sureda, O., 151
David, F.: *See* Desrochers, S., 111
Day, B.W.: *See* Banni, S., 281
de Gómez Dumm, N.T.: *See* Igal, A., 269
De Mulder, C.L.C., Madabushi, H.T., and Tappel, A.L. Protection by vitamin E, selenium, trolox, ascorbic acid palmitate, acetylcysteine, coenzyme Q, β-carotene, and (+)-catechin against oxidative damage to rat liver and heart tissue slices measured by oxidized heme proteins, 452
DeMarquoy, J.: *See* Clouet, P., 626
Demigne, C.: *See* Moundras, C., 158
Desrochers, S., Quinze, K., Dugas, H., Dubreuil, P., Bomont, C., David, F., Agarwal, K.C., Kumar, A., Soloviev, M.V., Powers, L., Landau, B.R., and Brunengraber, H. R,S-1,3-butanediol acetoacetate esters, potential alternates to lipid emulsions for a total parenteral nutrition, 111
Di Felice, M.: *See* Nardini, M., 474
Dictenberg, J.B., Pronczuk, A., and Hayes, K.C. Hyperlipidemic effects of *trans* fatty acids are accentuated by dietary cholesterol in gerbils, 353
Douillet, C., and Ciavatti, M. Effect of vitamin E treatment on tissue fatty acids and cholesterol content in experimental diabetes, 319
Dreosti, I.E.: *See* Record, I.R., 481
Dubreuil, P.: *See* Desrochers, S., 111
Dufault, S.N.: *See* Johnson, W.T., 551
Dugas, H.: *See* Desrochers, S., 111
Durand, G.: *See* Clouet, P., 626

Ebisui, C.: *See* Morimoto, T., 522
Endo, M.: *See* Yoshizawa, F., 130
Enwonwu, C.O., *See* Sawiris, P., 557
Erickson, R.H.: *See* Matsumoto, H., 104
Evans, R.W.: *See* Banni, S., 281

Fennessey, P.V.: *See* Krebs, N.F., 292
Fernandes, G.: *See* Venkatraman, J.T., 467
Finley, J.W., Briske-Anderson, M., Reeves, P.G., and Johnson, L.K. Zinc uptake and transcellular movement by CACO-2 cells: Studies with media containing fetal bovine serum, 137
Flatt, P.R.: *See* McDermott, B.M., 638
Fleming, S.E.: *See* Kight, C.E., 27
Funabiki, R.: *See* Yoshizawa, F., 130

Galibois, I.: *See* Hurley, C., 540
Garner, S.C.: *See* Mar, M.-H.H., 392
Gentili, V.: *See* Nardini, M., 474
Gey, K.F. Ten-year retrospective on the antioxidant hypothesis of arteriosclerosis: Threshold plasma levels of antioxidant micronutrients related to minimum cardiovascular risk, 206
Ghosh, P., Somanchi, M., and Lakshman, M.R. Regulatory enzymes of lipid metabolism in LA/N-cp rats, 348
Glick, Z.: *See* Bagga, D., 667
Gobatto, C.A.: *See* Carneiro, E.M., 314
Goldstein, A.L.: *See* Badmchian, M., 340
Graham, C.R.: *See* Lombardi, J., 516
Gramlich, L.M. and Mascioli, E.A. Nutrition and HIV infection, 2
Green, M.H.: *See* Ritter, S.J., 689
Gresti, J.: *See* Clouet, P., 626
Groscolas, R.: *See* Leray, C., 673
Günther, T.: *See* Vormann, J., 681
Gutbier, G.: *See* Leray, C., 673
Gutman, R.A.: *See* Bernal, C.A., 422

Hachey, D.L.: *See* Mersmann, H.J., 302
Hagiwara, H.: *See* Badamchian, M., 340
Hagiwara, Y.: *See* Badamchian, M., 340

Nutritional Biochemistry 6:698–700, 1995

© Elsevier Science Inc. 1995

655 Avenue of the Americas, New York, NY 10010

0955-2863/95/$10.00
SSDI 0955-2863(95)00175-1

Author Index

Adams, W.R.: *See* Ritter, S.J., 689
Agarwal, K.C.: *See* Desrochers, S., 111
Ahn, J. and Koo, S.I. Effects of zinc and essential fatty acid deficiencies on the lymphatic absorption of vitamin A and oleic acid in zinc-deficient rats, 595
Ahn, J. and Koo, S.I. Intraduodenal phosphatidylcholine infusion restores the lymphatic absorption of vitamin A and secretion of phospholipids, 604
Akachi, T.: *See* Sugiyama, K., 80
Akanbi, K.A.: *See* Mersmann, H.J., 302
Allen, K.G.D.: *See* Norman, J.F., 163
Andriamampandry, M., *See* Leray, C., 673
Aranda, P.: *See* Lerma, A., 577
Ashley, J.M.: *See* Bagga, D., 667
Askari, A.: *See* Lai, C.-C., 256
Atwal, A.S.: *See* Jenkins, K.J., 97

Badamchian, M., Spangelo, B.L., Hagiwara, Y., Hagiwara, H., Ueyama, H., and Goldstein, A.L. α-tocopherol succinate, but not α-tocopherol or other vitamin E analogs, stimulates prolactin release from rat anterior pituitary cells in vitro, 340
Bagga, D., Byerley, L.O., Koziol, B.J., Glick, Z., Ashley, J.M., and Heber, D. Adipose tissue and the effects of fat and calories on breast tumorigenesis in rats, 667
Bailey, W.R.: *See* Prohaska, J.R., 275
Banni, S., Day, B.W., Evans, R.W., Corongiu, F.P., and Lombardi, B. Detection of conjugated diene isomers of linoleic acid in liver lipids of rats fed a choline-devoid diet indicates that the diet does not cause lipoperoxidation, 281
Baracca, A.: *See* Barzanti, V., 21
Barzanti, V., Pregnolato, P., Maranesi, M., Bosi, I., Baracca, A., Solaini, G., Turchetto, E. Effect of dietary oils containing graded amounts of 18:3 n-6 and 18:4 n-3 on cell plasma membranes, 21
Beard, J.L.: *See* Chen, Q., 486
Becker, D.: *See* Trindade, V.M.T., 155
Bernal, C.A., Gutman, R.A., and Lombardo, Y.B. The duration of feeding on a sucrose-rich diet determines variable in vitro effects of insulin and fructose on rat liver triglyceride metabolism, 422
Bernard, E.A.: *See* Trindade, V.M.T., 155
Bézard, J.: *See* Clouet, P., 626
Bhathena, S.J.: *See* Werman, M.J., 373
Blackmore, V.L. and Meckling-Gill, K.A. Fish oil and oleic acid-rich oil feeding alter nucleoside uptake in human erythrocytes, 438
Bode, A.M.: *See* Matz, J.M., 644
Bodkin, N.L.: *See* Ortmeyer, H.K., 499
Boichot, J.: *See* Clouet, P., 626
Bomont, C.: *See* Desrochers, S., 111
Boschero, A.C.: *See* Carneiro, E.M., 314
Bosi, I.: *See* Barzanti, V., 21
Briske-Anderson, M.: *See* Finley, J.W., 137
Brooks, S.P.J. and Lampi, B.J. The effect of changing dietary fat and carbohydrate on the enzymes of amino acid metabolism, 414
Browning, J.D. and O'Dell, B.L. Low zinc status impairs calcium uptake by hippocampal synaptosomes stimulated by potassium but not by N-methyl-D-aspartate, 588
Brtko, J.: *See* Knopp, J., 145
Bruckner, G.: *See* Szabó, J., 12, 334
Brunengraber, H.: *See* Desrochers, S., 111
Bulur, H., Özdemirler, G., Öz, B., Toker, G., Öztürk, M., and Uysal, M. High cholesterol diet supplemented with sunflower Seed oil but not olive oil stimulates lipid peroxidation in plasma, liver, and aorta of rats, 547
Burri, B.J. Serum thyroid hormone concentrations may increase during carotenoid depletion of healthy adult women, 613
Byerley, L.O.: *See* Bagga, D., 667

Cammack, P.M.: *See* Christensen, M.J., 367
Carneiro, E.M., Mello, M.A.R., Gobatto, C.A., and Boschero, A.C. Low protein diet impairs glucose-induced insulin secretion from and ^{45}Ca uptake by pancreatic rat islets, 314
Carver, J.D. and Walker, W.A. The role of nucleotides in human nutrition, 58
Chanaud, N.: *See* Sawiris, P., 557
Chandrasekar, B.: *See* Venkatraman, J.T., 467
Chen, J.-R., Suetsuna, K., and Yamauchi, F. Isolation and characterization of immunostimulative peptides from soybean, 310
Chen, L.-C.: *See* Hu, M.-L., 504
Chen, Q., Beard, J.L., Jones, B.C. Abnormal rat brain monoamine metabolism in iron deficiency anemia, 486
Chen, S.C.: *See* Hicks, V., 246
Chen, Y., Saari, J.T., and Kang, J. Copper deficiency increases metallothionein-I mRNA content selectively in rat liver, 572
Chen, Y.-K.: *See* Hu, M.-L., 504
Chen, Z.Y. and Ratnayake, W.M.N. Weight cycling-induced reduction of linoleic acid in carcass and adipose tissue in rats, 653
Chesney, R.W.: *See* Helms, R.A., 462
Chiu, T.H.: *See* Lai, C.-C., 256
Christensen, M.J., Cammack, P.M., and Wray, C.D. Tissue specificity of selenoprotein gene expression in rats, 367
Christensen, M.L.: *See* Helms, R.A., 462
Church, J.P.: *See* Podczasy, J.J., 327
Ciavatti, M.: *See* Douillet, C., 319
Clouet, P., Niot, I., Gresti, J., Demarquoy, J., Boichot, J., Durand, G., and Bézard, J. Polyunsaturated n-3 and n-6 fatty acids at a low level in the diet alter mitochondrial outer membrane parameters in Wistar rat liver, 626
Corongiu, F.P.: *See* Banni, S., 281
Cynober, L., Le Boucher, J., and Vasson, M.-P. Arginine metabolism in mammals, 402

D'Aquino, M.: *See* Nardini, M., 474
Damento, M.C.: *See* Sureda, O., 151
David, F.: *See* Desrochers, S., 111
Day, B.W.: *See* Banni, S., 281
de Gómez Dumm, N.T.: *See* Igal, A., 269
De Mulder, C.L.C., Madabushi, H.T., and Tappel, A.L. Protection by vitamin E, selenium, trolox, ascorbic acid palmitate, acetylcysteine, coenzyme Q, β-carotene, and (+)-catechin against oxidative damage to rat liver and heart tissue slices measured by oxidized heme proteins, 452
DeMarquoy, J.: *See* Clouet, P., 626
Demigne, C.: *See* Moundras, C., 158
Desrochers, S., Quinze, K., Dugas, H., Dubreuil, P., Bomont, C., David, F., Agarwal, K.C., Kumar, A., Soloviev, M.V., Powers, L., Landau, B.R., and Brunengraber, H. R,S-1,3-butanediol acetoacetate esters, potential alternates to lipid emulsions for a total parenteral nutrition, 111
Di Felice, M.: *See* Nardini, M., 474
Dictenberg, J.B., Pronczuk, A., and Hayes, K.C. Hyperlipidemic effects of *trans* fatty acids are accentuated by dietary cholesterol in gerbils, 353
Douillet, C., and Ciavatti, M. Effect of vitamin E treatment on tissue fatty acids and cholesterol content in experimental diabetes, 319
Dreosti, I.E.: *See* Record, I.R., 481
Dubreuil, P.: *See* Desrochers, S., 111
Dufault, S.N.: *See* Johnson, W.T., 551
Dugas, H.: *See* Desrochers, S., 111
Durand, G.: *See* Clouet, P., 626

Ebisui, C.: *See* Morimoto, T., 522
Endo, M.: *See* Yoshizawa, F., 130
Enwonwu, C.O., *See* Sawiris, P., 557
Erickson, R.H.: *See* Matsumoto, H., 104
Evans, R.W.: *See* Banni, S., 281

Fennessey, P.V.: *See* Krebs, N.F., 292
Fernandes, G.: *See* Venkatraman, J.T., 467
Finley, J.W., Briske-Anderson, M., Reeves, P.G., and Johnson, L.K. Zinc uptake and transcellular movement by CACO-2 cells: Studies with media containing fetal bovine serum, 137
Flatt, P.R.: *See* McDermott, B.M., 638
Fleming, S.E.: *See* Kight, C.E., 27
Funabiki, R.: *See* Yoshizawa, F., 130

Galibois, I.: *See* Hurley, C., 540
Garner, S.C.: *See* Mar, M.-H.H., 392
Gentili, V.: *See* Nardini, M., 474
Gey, K.F. Ten-year retrospective on the antioxidant hypothesis of arteriosclerosis: Threshold plasma levels of antioxidant micronutrients related to minimum cardiovascular risk, 206
Ghosh, P., Somanchi, M., and Lakshman, M.R. Regulatory enzymes of lipid metabolism in LA/N-cp rats, 348
Glick, Z.: *See* Bagga, D., 667
Gobatto, C.A.: *See* Carneiro, E.M., 314
Goldstein, A.L.: *See* Badmchian, M., 340
Graham, C.R.: *See* Lombardi, J., 516
Gramlich, L.M. and Mascioli, E.A. Nutrition and HIV infection, 2
Green, M.H.: *See* Ritter, S.J., 689
Gresti, J.: *See* Clouet, P., 626
Groscolas, R.: *See* Leray, C., 673
Günther, T.: *See* Vormann, J., 681
Gutbier, G.: *See* Leray, C., 673
Gutman, R.A.: *See* Bernal, C.A., 422

Hachey, D.L.: *See* Mersmann, H.J., 302
Hagiwara, H.: *See* Badamchian, M., 340
Hagiwara, Y.: *See* Badamchian, M., 340

Nutritional Biochemistry 6:698–700, 1995

© Elsevier Science Inc. 1995

655 Avenue of the Americas, New York, NY 10010

0955-2863/95/$10.00
SSDI 0955-2863(95)00175-1

Hall, C.B.: *See* Lukaski, H.C., 445
Hambidge, K.M.: *See* Krebs, N.F., 292
Hansen, B.C., *See* Ortmeyer, H.K., 499
Hara, H., Suzuki, T., Tamura, K., Narakino, H., and Kiriyama, S. Differential digestibility of a synthetic slowly digestible peptide oligo-L-methionine, in rats fed soybean protein or its hydrolsates, 38
Hayes, K.C., Pronczuk, A., and Khosla, P. A rationale for plasma cholesterol modulation by dietary fatty acids: Modeling the human response in animals, 188
Hayes, K.C.: *See* Sundram, K., 179; Dictenberg, J.B., 353
Heber, D.: *See* Bagga, D., 667
Helms, R.A., Christensen, M.L., Storm, M.C., and Chesney, R.W. Adequacy of sulfur amino acid intake in infants receiving parenteral nutrition, 462
Hempe, J.M.: *See* Sandoval, M., 534
Hicks, V., Chen, S.C., Tepper, S.A., Kritchevsky, D. The cholesterol-lowering effect of oat bran cereals in rats: Influence of processing, 246
Höllriegl, V.: *See* Vormann, J., 681
Holmes, S.C.: *See* Sidransky, H., 73
Hu, M.-L., Chen, Y.-K., Chen, L.-C., and Sano, M. Para-aminobenzoic acid scavenges reative oxygen species and protects DNA against UV and free radical damage, 504
Huang, W.-H.: *See* Lai, C.-C., 256
Hurley, C., Galibois, I., Jacques, H. Fasting and postprandial lipid and glucose metabolisms are modulated by dietary proteins and carbohydrates: Role of plasma insulin concentrations, 540

Ide, H.: *See* Yoshizawa, F., 130
Igal, A. and de Gómez Dumm, N.T. Influence of dietary n-3 fatty acids on the biosynthesis of polyunsaturated fatty acids in STZ-diabetic rats, 269
Iijima, S.: *See* Morimoto, T., 522
Ikeda, I.: *See* Imaizumi, K., 528
Imaizumi, K., Obata, K., Ikeda, I., and Sakono, M. Dissociation of protein kinase C activities and diacylglycerol levels in liver plasma membranes of rats on coconut oil and safflower oil diets, 528
Imaizumi, K.: *See* Sugano, M., 195
Isaacs, C.E., Litov, R.E., and Thormar, H. Antimicrobial activity of lipids added to human milk, infant formula, and bovine milk, 362
Iwai, K.: *See* Oi, Y., 250

Jacques, H.: *See* Hurley, C., 540
Jenkins, K.J. and Atwal, A.S. Flavonoids increase tissue essential fatty acids in vitamin E-dificient chicks, 97
Johnson, L.K.: *See* Finley, J.W., 137
Johnson, W.T., Dufault, S.N., and Newman, S.M. Altered nucleotide content and changes in mitochondrial energy states associated with copper deficiency in rat platelets, 551
Jones, B.C.: *See* Chen, Q., 486

Kan, K.: *See* Morimoto, T., 522
Kang, J.: *See* Chen, Y., 572
Kawada, T.: *See* Oi, Y., 250
Kelley, S.K.: *See* Ritter, S.J., 689
Khosla, P.: *See* Hayes, K.C., 188
Kight, C.E. and Fleming, S.E. Transamination processes promote incomplete glutamine oxidation in small intestine epithelial cells, 27
Kim, Y.S.: *See* Matsumoto, H., 104
King, J.C.: *See* Morgan, P.N., 263
Kiriyama, S.: *See* Hara, H., 38; Sonoyama, K., 380
Kishibuchi, M.: *See* Morimoto, T., 522
Kitamura, K.: *See* Oi, Y., 250
Klevay, L.M.: *See* Lai, C.-C., 256
Klurfeld, D.M. Fat effects in experimental tumorigenesis, 201
Knopp, J. and Brtko, J. Effect of 3,5,3'-triiodothyronine on cytosolic cAMP-dependent, cAMP-independent protein kinase and nuclear DNA-associated kinase activity in proliferating rat liver under different nutritional regimens, 145
Kominato, Y.: *See* Oi, Y., 250
Koo, S.I.: *See* Ahn, J., 595, 604
Kósa, E.: *See* Szabó, J., 334
Koziol, B.J.: *See* Bagga, D., 667
Krebs, N.F., Miller, L.V., Naake, V.L., Lei, S., Westcott, J.E., Fennessey, P.V., and Hambidge, K.M. The use of stable isotope techniques to assess zinc metabolism, 292
Krichevsky, D.: *See* Hicks, V., 246
Kritchevsky, D. Fatty acids, triglyceride structure, and lipid metabolism, 172
Kritchevsky, D., and Tepper, S.A. Influence of dietary fiber on establishment and progression of atherosclerosis in rabbits, 509
Kumar, A.: *See* Desrochers, S., 111
Kurl, R.N.: *See* Sidransky, H., 73

Lai, C.-C., Huang, W.-H., Askari, A., Klevay, L.M., and Chui, T.H. Expression of glutathione peroxidase and catalase in copper-deficient rat liver and heart, 256
Lakshman, M.R.: *See* Ghosh, P., 348
Lampi, B.: *See* Brooks, S.P.J., 414
Landau, B.R.: *See* Desrochers, S., 111
Larner, J.C.: *See* Ortmeyer, H.K., 499
Le Boucher, J.: *See* Cynober, L., 402
Lei, S.: *See* Krebs, N.F., 292
Leray, C., Andriamampandry, M., Gutbier, G., Raclot, T., and Groscolas, R. Incorporation of n-3 fatty acids into phospholipids of rat liver and white and brown adipose tissues: A time-course study during fish-oil feeding, 673
Lerma, A., Planells E., Aranda, P., and Llopis, J. Effect of magnesium deficiency on fatty acid composition of the erythrocite membrane and plasma lipid concentration in rats, 577
Liao, Z., Medeiros, D.M., McCune, S.A., and Prochaska, L.J. Cardiac levels of fibronectin, laminin, isomyosins, and cytochrome c oxidase of weanling rats are more vulnerable to copper deficiency than those of postweanling rats, 385
Lin, C.-Y. and Morel, D.W. Distribution of oxysterols in human serum: Characterization of 25-hydroxycholesterol association with serum albumin, 618
Litov, R.E.: *See* Isaacs, C.E., 362
Llopis, J.: *See* Lerma, A., 577
Lombardi, B.: *See* Banni, S., 281
Lombardi, J., and Graham, C.R. The use of ^{13}C-magnetic resonance spectroscopy in metabolic research, 516
Lombardo, Y.B.: *See* Bernal, C.A., 422
Lukaski, H.C., Hall, C.B., and Marchello, M.J. Body temperature and thyroid hormone metabolism of copper-deficient rats, 445
Lux, O., and Naidoo, D. The assessment of biological variation components of copper, zinc, and selenium, 43
MacGregor, J.T.: *See* Morgan, P.N., 263
Madabushi, H.T.: *See* De Mulder, C.L.C., 452
Manz, F.: *See* Remer, T., 431
Mar, M.-H.H., Ridky, T.W., Garner, S.C., and Zeisel, S.H. A method for the determination of betaine in tissues using high performance liquid chromatography, 392
Maranesi, M.: *See* Barzanti, V., 21
Marchello, M.J.: *See* Lukaski, H.C., 445
Mascioli, E.A.: *See* Gramlich, L.M., 2
Matsumoto, H., Erickson, R.H., and Kim, Y.S. Localization and characterization of rat small intestinal aminopeptidase P and its role in prolyl peptide digestion, 104
Matz, J.M., Saari, J.T., and Bode, A.M. Functional aspects of oxidative phosphorylation and electron transport in cardiac mitochondria of copper-deficient rats, 644
Mazur, A.: *See* Moundras, C., 158
McCune, S.A.: *See* Liao, Z., 385
McDermott, B.M., Strain, J.J., and Flatt, P.R. Effects of dietary carbohydrate intake on antioxidant enzyme activity and copper status in the copper-deficient streptozotocin (STZ) diabetic rat, 638
McInerney, J.K.: *See* Record, I.R., 481
McNamara, J.P. Role and regulation of metabolism in adipose tissue during lactation, 120
McNeel, R.L.: *See* Mersmann, H.J., 302
Meckling-Gill, K.A.: *See* Blackmore, V.L., 438
Mederios, D.M.: *See* Liao, Z., 385
Mello, M.A.R.: *See* Carneiro, E.M., 314
Mersmann, H.J., McNeel, R.L., Akanbi, K.A., Shparber, A., and Hachey, D.L. Influence of dietary fat on beta-adrenergic receptors and receptor-controlled metabolic function in procine adipocytes, 302
Miller, C.W.: *See* Norman, J.F., 163
Miller, L.V.: *See* Krebs, N.F., 292
Miller, M.J.S.: *See* Sandoval, M., 534
Morel, D.W.: *See* Lin, C.-Y., 618
Morgan, P.N., Wehr, C.M., MacGregor, J.T., Woodhouse, L.R., and King, J.C. Zinc deficiency, erythrocyte production, and chromosomal damage in pregnant rats and their fetuses, 263
Mori, T.: *See* Morimoto, T., 522
Morimoto, T., Tsujinaka, T., Yano, M., Iijima, S., Ebisui, C., Kan, K., Kishibuchi, M., Mori, T. Regulation of albumin synthesis after hepatectomy in the acute inflammation phase of rat liver, 522
Moundras, C., Demigne, C., Mazur, A., and Rémésy, C. The cholesterol lowering effect of steroid-sequestrants is modulated by large intestine fermentations, 158

Naake, V.L.: *See* Krebs, N.F., 292
Naidoo, D.: *See* Lux, O., 43
Narakino, H.: *See* Hara, H., 38
Nardini, M., D'Aquino, M., Tomassi, G., Gentili, V., Di Felice, M., and Scaccini, C. Dietary fish oil enhances plasma and LDL oxidative modification in rats, 474
Newburg, D.S.: *See* Wiederschain, G.Y., 582
Newman, S.M.: *See* Johnson, W.T., 551
Niki, R.: *See* Sonoyama, K., 380
Niot, I.: *See* Clouet, P., 626
Nishimura, S.: *See* Oi, Y., 250
Nitta, M.: *See* Oi, Y., 250
Norman, J.F., Miller, C.W., and Allen, K.G.D. Thoracic aorta prostacyclin production is not altered during early atherosclerosis development in young swine, 163

O'Dell, B.L.: *See* Browning, J.D., 588; Xia, J., 661
Obata, K.: *See* Imaizumi, K., 528
Oi, Y., Kawada, T., Kitamura, K., Oyama, F., Nitta, M., Kominato, Y., Nishimura, S., and Iwai, K. Garlic supplementation enhances norepinephrine secretion, growth of brown adipose tissue, and triglyceride catabolism in rats, 250
Ortmeyer, H.K., Bodkin, N.L., Hansen, B.C., and Larner, J.C. In vivo D-chiroinositol activates skeletal muscle glycogen synthase and inactivates glycogen phosphorylase in rhesus monkeys, 499
Oyama, F.: *See* Oi, Y., 250
Öz, B.: *See* Bulur, H., 547
Özdemirler, G.: *See* Bulur, H., 547
Öztürk, M.: *See* Bulur, H., 547

Park, S. and Snook, J.T. Does a diet high in corn oil lower LDL cholesterol levels in women via an effect on LDL receptor activity? 88
Perry, M.L.S.: *See* Trindade, V.M.T., 155
Planells, E.: *See* Lerma, A., 577
Podczasy. J.J., Church, J.P., and Schoene, N.W. Effects of dietary fish oil on calcium homeostasis in rat platelets, 327
Powers, L.: *See* Desrochers, S., 111
Pregnolato, P.: *See* Barzanti, V., 21
Prieto, R.M.: *See* Sureda, O., 151
Prochaska, L.J.: *See* Liao, Z., 385
Prohaska, J.R. and Bailey, W.R. Persistent neurochemical changes following perinatal copper deficiency in rats, 275
Pronczuk, A.: *See* Hayes, K.C., 188; Dictenberg, J.B., 353

Quinze, K.: *See* Desrochers, S., 111

Raclot, T.: *See* Leray, C., 673
Ratnayake, W.M.N.: *See* Chen, Z.Y., 653
Record, I.R., Dreosti, I.E., McInerney, J.K. The antioxidant activity of genistein in vitro, 481
Reeves, P.G. Adaptation responses in rats to long-term feeding of high-zinc diets: emphasis on intestinal metallothionein, 48
Reeves, P.G.: *See* Finley, J.W., 137
Remer, T. and Manz, F. Dietary protein as a modulator of the renal net acid excretion capacity: Evidence that an increased protein intake improves the capability of the kidney to excrete ammonium, 431
Rémésy, C.: *See* Moundras, C., 158
Ridky, T.W.: *See* Mar, M.-H.H., 392
Ritter, S.J., Green, M.H., Adams, W.R., Kelley, S.K., Schaffer, E.M., and Smith, J.E. N-(4-hydroxyphenyl)retinamide (Fenretinide) and nephrectomy alter normal plasma retinol-binding protein metabolism, 689

Saari, J.T.: *See* Chen, Y., 572; Matz, J.M., 644
Sadowska-Krowicka, H.: *See* Sandoval, M., 534
Sakono, M.: *See* Imaizumi, K., 528
Sandoval, M., Miller, M.J.S., Sadowska-Krowicka, H., Zhang, X.-J., Hempe, J.M. Decreased zinc absorption in guinea pig models of acute and chronic ileitis, 534
Sano, M.: *See* Hu, M.-L., 504
Sawiris, P., Chanaud, N., and Enwonwu, C.O. Impaired inositol trisphosphate generation in carbachol-stimulated submandibular gland acinar cells from ascorbate deficient guinea pigs, 557
Scaccini, C.: *See* Nardini, M., 474
Schaffer, E.M.: *See* Ritter, S.J., 689
Schoene, N.W.: *See* Podczasy, J.J., 327
Schümann, K.: *See* Vormann, J., 681
Scotti, L.: *See* Trindade, V.M.T., 155
Shparber, A.: *See* Mersmann, H.J., 302
Sidransky, H., Kurl, R.N., Holmes, S.C., and Verney, E. Tryptophan binding to nuclei of rat liver and hepatoma, 73
Siru, O.H.: *See* Sundram, K., 179
Smith, J.E.: *See* Ritter, S.J., 689
Snook, J.T.: *See* Park, S., 88
Solaini, G.: *See* Barzanti, V., 21
Soloviev, M.V., *See* Desrochers, S., 111
Somanchi, M.: *See* Ghosh, P., 348
Sonoyama, K., Kiriyama, S., and Niki, R. Expression of apolipoprotein A-I mRNA in liver and intestine of cecectomized rats fed beet fiber, 380
Spangelo, B.L.: *See* Badamchian, M., 340
Storm, M.C.: *See* Helms, R.A., 462
Strain, J.J.: *See* McDermott, B.M., 638
Suetsuna, K.: *See* Chen, J.-R., 310
Sugano, M. and Imaizumi, K. Effect of different saturated fatty acids as interesterified triacylglycerols on lipid metabolism in rats and hampsters, 195
Sugiyama, K., Akachi, T., and Yamakawa, A. Eritadenine-induced alteration of hepatic phospholipid metabolism in relation to its hypocholesterolemic action in rats, 80
Sundram, K., Hayes, K.C., and Siru, O.H. Both dietary 18:2 and 16:0 may be required to improve the serum LDL/HDL cholesterol ratio in normocholesterolemic men, 179
Sureda, O., Prieto, R.M., Damento, M.C., and Tur, J.A. Effect of cafeteria diet on intestinal absorption of palmitic acid in rats, 151
Suzuki, T.: *See* Hara, H., 38
Szabó, J. and Bruckner, G. ATP "potential" of nutrients may regulate plasma corticosteroid concentration: a hypothesis, 12
Szabó, J., Kosa, E., Toth, I.E., Bruckner, G.G. Effect of adenosine and its metabolites on the hypothalamo-pituitary-adrenal axis, 334

Tamaura, K.: *See* Hara, H., 38
Tappel, A.L.: *See* De Mulder, C.L.C., 452
Teff, K.L. and Young, S.N. The effect of carbohydrate and protein administration on amino acids in the pancreas, brain, intestine, and plasma of the rat, 564
Tepper, S.A.: *See* Hicks, V., 246; Kritchevsky, D., 509
Thomson, A.B.R. and Wild, G. Cell culture systems in the elucidation of cellular and molecular mechanisms associated with intestinal adaptation, 240
Thormar, H.: *See* Isaacs, C.E., 362
Toker, G.: *See* Bulur, H., 547
Tomassi, G.: *See* Nardini, M., 474
Tóth, I.E.: *See* Szabó, J., 334
Trindade, V.M.T., Scotti, L., Becker, D., Perry, M.L.S., and Bernard, E.A. Undernutrition alters the hypothalamic ganglioside profile of the fetal rat, 155
Tsujinaka, T.: *See* Morimoto, T., 522
Tur, J.A.: *See* Sureda, O., 151
Turchetto, E.: *See* Barzanti, V., 21

Ueyama, H.: *See* Badamchian, M., 340
Uysal, M.: *See* Bulur, H., 547

Vasson, M.-P.: *See* Cynober, L., 402
Venkatraman, J.T., Chandraseker, B., Weintraub, S.T., and Fernandes, G. Differential effects of ω-6 and ω-3 fatty acids on interleukin-2 production and mRNA expression by EL-4.Il-2 cells, 467
Verney, E.: *See* Sidransky, H., 73
Vormann, J., Günther, T., Höllriegl, V., and Schümann, K. Effect of various degrees and duration of magnesium deficiency on lipid peroxidation and mineral metabolism in rats, 681

Walker, W.A.: *See* Carver, J.D., 58
Wehr, C.M.: *See* Morgan, P.N., 263
Wei, I.-L. and Young, T.-K. Activities of hepatic vitamin B_6 metabolizing enzymes and concentrations of vitamin B_6 vitamers in tissues of chronically azotemic rats, 494
Weintraub, S.T.: *See* Venkatraman, J.T., 467
Werman, M.J. and Bhathena, S.J. Fructose metabolizing enzymes in the rat liver and metabolic parameters: Interactions between dietary copper, type of carbohydrates, and gender, 373
Westcott, J.E.: *See* Krebs, N.F., 292
Wiederschain, G.Y. and Newburg, D.S. Human milk fucosyltransferase and α-L-fucosidase activities change during the course of lactation, 582
Wild, G.: *See* Thomson, A.B.R., 240
Woodhouse, L.R.: *See* Morgan, P.N., 263
Wray, C.D.: *See* Christensen, M.J., 367

Xia, J. and O'Dell, B.L. Zinc deficiency in rats decreases thrombin-stimulated platelet aggregation by lowering protein kinase C activity secondary to impaired calcium uptake, 661

Yagasaki, K.: *See* Yoshizawa, F., 130
Yamakawa, A.: *See* Sugiyama, K., 80
Yamauchi, F.: *See* Chen, J.-R., 310
Yano, M.: *See* Morimoto, T., 522
Yoshizawa, F., Endo, M., Ide, H., Yagasaki, K., and Funabiki, R. Translational regulation of protein synthesis in the liver and skeletal muscle of mice in response to refeeding, 130
Young, S.N.: *See* Teff, K.L., 564
Young, T.-K.: *See* Wei, I.-L., 494

Zeisel, S.H.: *See* Mar, M.-H.H., 392
Zhang, X-J.: *See* Sandoval, M., 534

Subject Index

Absorption, 48, 137
Absorption of fatty acids, 195
Acetoacetate esters, 111
Acetyl-CoA carboxylase, 348
Acetylcysteine, 452
Acid-base metabolism, 431
ACTH, 334
acyl-CoA synthetase, 269
Adaptation, 48
Adenosine, 12, 334, 438
Adipocytes, 302
Adipose, 120
Adipose tissue, 667
Adrenergic receptors, 302
Aequorin, 327
AIDS, 2
Albumin, 618
Albumin synthesis, 522
Amino acids, 462
Amino acid utilization, 414
Ammonium, 431
Antioxidant enzymes, 638
Antioxidant, 206, 481, 504
Apolipoprotein A-I, 380
Arginine, 402
Arteriosclerosis, 206
Ascorbate status, 557
Assay, 392
Atherosclerosis, 163, 474, 509
ATP, 12
ATP synthase, 644

β-carotene, 452
β-cyclodextrin, 158
Bacteria, 362
Beet fiber, 380
Betaine, 392
Bile acids, 158
Binding, 73
Blastoid formation, 310
Body temperature, 445
Brain, 486, 564
Breast cancer, 201, 667
Brown adipose tissue, 673
Brush border membrane, 104
1,3-butanediol, 111
Butter, 88

^{13}C, 516
Ca^{2+} fluxes, 314
CACO-2, 137
Cafeteria diet, 151
Calcium ionophore A23187, 163
Calcium signals, 327
Calcium uptake, 588
Caloric restriction, 201
cAMP, 145
Carnitine acyltransferase I, 626
Carotene, 206
Carotenoids, 613
Catabolism of LDL, 195
Catalase, 256
C/EBP, 522
Cell culture, 137
Cell culture systems, 240
Cellulose, 246, 509
Cereal processing, 246
Chicks, 97
Chlortetracycline, 327
Cholesterol 7α-hydroxylase, 348
Cholesterol, 158, 179, 195, 618, 653
Cholesterolemia, 246, 509
Cholestyramine, 158
Choline, 392
Chromosomal damage, 263
CLA, 281
Coenzyme Q, 452
Colon cancer, 201
Conjugated dienes, 281
Copper, 43, 48, 385, 445
Copper deficiency, 256, 275, 373, 551, 572, 638
Corn oil, 88
Coronary heart disease, 206
Corticosteroid, 12
Corticosterone, 334
Cuproenzymes, 275
Cysteine-rich intestinal protein, 534
Cytochrome c oxidase, 385
Cytosolic and nuclear kinases, 145
Cytosolic free calcium, 661

D-chiroinosital, 499
Δ5 desaturase, 269
Δ6 desaturase, 269
Δ9 desaturase, 269
DBP, 522
Diabetes, 638
Diabetic rats, 319
Diacylglycerol, 528
Dietary carbohydrates, 540
Dietary fat, 201, 302
Dietary lipid, 21
Dietary proteins, 540
DMBA, 667
DNA damage, 504
Docosahexaenoic acid, 269
Dopamine, 486

Eicosapentaenoic acid, 269
EL-4, 467
Electron transport, 644
Energy, 12, 120
Enterocytes, 27
Enzymes, 373
Eritadenine, 80
Erythrocyte, 438, 577
Erythropoiesis, 263
Essential fatty acids, 97, 595

Fasting, 414
Fat, 414
Fatty acids, 172, 179, 188, 667
Fatty acid synthetase, 348
Fecal steroids, 195
Fiber, 509
Fibronectin, 385
Fish oil, 438, 474
Flavonoids, 97
Formula, 362
Free cholesterol, 577
Free radicals, 256
Fructose, 373
Fucosyltransferase, 582

Gama linolenic acid, 21
Ganglioside, 155
Garlic, 250
Gender, 373
Gene expression, 367
Genistein, 481
Gestation, 263
Glucose disposal rate, 499
Glucose, 27
Glutamate, 588
Glutamine, 27
Glutathione peroxidase, 256
Glycogen phosphorylase, 499
Glycogen synthase, 499
Green barley leaf extract, 340
Guinea pig synaptosomes, 588

Heart, 256, 572
Heme proteins, 452
Hepatectomy, 522
Hepatic cholesteryl esters, 353
Hepatic lipids, 540
Hepatoma, 73
High cholesterol diet, 547
High-fat diet, 250
HMG-CoA reductase, 348
HNF-1, 522
HPLC, 281, 392
HPR, 689
Human milk, 582
Humans, 179
Hypercholesterolemia, 163
Hypertriglyceridemia, 353, 422
Hypocholesterolemic action, 80
Hyposhlorous acid, 504
Hypothalamus, 155

IL-2 levels, 467
IL-2 mRNA, 467
IL-2R expression, 467
Immune cells, 402
Infants, 462
Inflammation, 534
Inflammatory bowel disease, 534
Initiation and elongation, 130
Inosine, 334
Insulin, 130, 540
Insulin action, 499
Insulin secretion, 314
Interindividual variation, 43
Interscapular brown adipose tissue, 250
Intestinal absorption, 151, 604
Intestinal adaptation, 240
Intestine, 48, 104
Intraindividual variation, 43
Iron, 263, 681
Iron deficiency anemia, 486
Islets of Langerhans, 314
Isoflavonoid, 481
Isomyosins, 385

Ketone bodies, 111

Nutritional Biochemistry 6:701–702, 1995

© Elsevier Science Inc. 1995

655 Avenue of the Americas, New York, NY 10010

0955-2863/95/$10.00
SSDI 0955-2863(95)176-X

Kidney, 572

Lactation, 120, 582
Lactose, 638
Laminin, 385
LA/N-cp obese rats, 348
Large intestine microflora, 158
Large neutral amino acids, 564
LDL receptor, 88
α-L-fucosidase, 582
α-linolenic acid, 653
Linoleic acid, 653
Lipid metabolism, 172
Lipid peroxidation, 467, 547
Lipids, 120, 362, 547
Lipolysis, 302
Lipoperoxidation, 281
Lipoproteins, 158, 179, 618
Liver, 73, 130, 256, 373, 380, 572, 673
Liver perfusion, 422
Liver regeneration, 145
Low density lipoprotein, 88, 474
Lymphatic absorption, 595

Magnesium deficiency, 681
Magnetic resonance spectroscopy, 516
Malnutrition, 2
Malondialdehyde, 681
Mammary gland, 667
Mass spectrometry, 281
Membrane fatty acid, 577
Metabolic control, 120, 414
Metabolism, 516
Metallothionein, 48, 534, 572
Methionine, 431
Mg deficiency, 577
Microdialysis, 486
Micronucleated erythrocytes, 263
Milk, 362
Minerals, 681
Mitochondria, 551
Mitochondrial outer membranes, 626
Mitochondrial respiration, 644
Mongolian gerbil, 353
Monoamines, 486
Monodeiodinase, 445
Mononuclear cells, 88
mRNA, 380, 572
MRS, 516
Muscle, 130

n-3 fatty acids, 269, 327, 673
n-6 fatty acids, 269
N-methyl-D-aspartate (NMDA), 588
Nephrectomy, 689
Nitric oxide, 402
NMR, 516
Norepinephrine, 486
Norepinephrine secretion, 250
Nuclei, 73
Nucleoside, 438
5′-nucleotidase, 21
Nucleotide, 12, 58, 551
Nutrition, 58
Nutritional assessment, 2
Nutritional support, 2

Oat bran, 246
Obesity, 151, 348
Oleic, 179
Oleic acid, 438
Oligo L-methionine, 38
Olive oil, 547
ω-3 fatty acids, 327, 467, 474
ω-6 fatty acids, 327, 467
Optimum plasma levels of antioxidants, 206
Ornithine, 402
Oxidation, 27, 474
Oxidative Phosphorylation, 644
Oxysterol, 618

Palm oil, 195
Palmitic, 179
Palmitic acid, 151
Pancreas, 564
Pancreatic protease, 38
Para-aminobenzoic acid, 504
Parenteral nutrition, 462
Peptidase, 104
Peptide digestibility, 38
Peptide from soybean, 310
Phosphatidylcholine, 80
Phosphatidylethanolamine, 80
Phosphatidylethanolamine N-methylation, 80
Phosphatidylinositol 4,5-biphosphate turnover, 557
Phospholipid, 577, 595, 604, 673
Plasma, 474, 577
Plasma cholesterol, 80, 380
Plasma cholesterol modulation, 188
Plasma lipids, 540
Plasma membrane, 21
Platelet aggregation, 661
Platelets, 551
Polyamines, 402
Polysome size, 130
Polyunsaturated fat, 528
Polyunsaturated fatty acids, 626
Potassium depolarization, 588
Prolactin, 340
Proliferative response, 467
Prostacyclin, 163
Protein deficiency, 314
Protein digestion, 104
Protein intake, 431
Protein kinase C, 528, 661
Protein synthesis, 130
Protein undernutrition, 155
Psyllium, 509
Purine, 12, 58
Pyridoxal, 494
Pyridoxal phosphate, 494
Pyrimidine, 58

Rabbits, 509
Rat, 48, 73, 367, 373, 445, 577, 638, 661, 667
Rat brain catecholamines, 275
Rat liver, 528
Rats, 38, 250, 380, 474, 494, 547, 681, 689
Reactive oxygen species, 504
Regional copper, 275
Regulation, 120
Renal net acid excretion, 431
Retinoid, 689
Retinol, 689
Rhesus monkey (Macaca mulatta), 499

Saturated fat, 528
Saturated fatty acid, 195
Secretion, 557
Selenium, 43, 367, 452
Selenoproteins, 367
Serum, 618
Small intestine, 380
Soybean, 481
Splenocyte, 310
Stable isotopes, 292
Stearidonic acid, 21
Streptozotocin-induced, 319
Stroke, 206
Sucrose, 638
Sucrose-rich diet, 422
Sulfur, 462
Sunflower seed oil, 547
Swine, 302

T_3 receptors, 445
Thrombin, 661
Thyroid hormone, 145
Thyroid stimulating hormone, 613
Thyroxine, 445, 613
Tissue cholesterol, 319
Tissue fatty acids, 319
Tissue lipids, 97
α-tocopherol succinate, 340
Total cholesterol, 577
Total parenteral nutrition, 111
Trans fatty acids, 353
Transport, 137, 564
Transthyretin, 689
Triglyceride catabolism, 250
Triglyceride metabolism, 422
Triglyceride secretion, 422
Triglyceride structure, 172
Triglycerides, 246, 577
Triiodothyronine, 445, 613
Tryptophan, 73, 564
Turpentine, 522

U.V. spectrophotometry, 281
Urate, 12
Urea cycle, 402
Uremia, 494
Uric acid, 334
Urine pH, 431
UV irradiation, 504

Viruses, 362
Vitamin A, 595, 604, 689
Vitamin B_6 metabolizing enzymes, 494
Vitamin E, 319, 340, 452, 681
Vitamins A, C, E, 206

Weight cycling, 653
White adipose tissue, 673
Wistar rats, 626
Women, 613

Xanthine, 334

Yo-yo dieting, 653
Yucatan miniture swine, 163

Zinc, 43, 48, 137, 292, 595
Zinc absorption, 534
Zinc deficiency, 263, 604
Zinc status, 588, 661